Female Coupler to 1/4″ Hose Barb

O2 Female with 1/4 Hose Barb
Air Female with 1/4 Hose Barb
N2O Female with 1/4 Hose Barb
Vacuum Female with 1/4 Hose Barb
WAGD Female with 1/4 Hose Barb

Female Coupler to 1/4″ NPT Male

O2 Female with 1/4 NPT Male
Air Female with 1/4 NPT Male
N2O Female with 1/4 NPT Male
Vacuum Female with 1/4 NPT Male
WAGD Female with 1/4 NPT Male

Male Quick- Connect to 1/4″ Hose Barb

O2 Male with 1/4 Hose Barb
Air Male with 1/4 Hose Barb
N2O Male with 1/4 Hose Barb
Vacuum Male with 1/4 Hose Barb
WAGD Male with 1/4 Hose Barb

Male Quick- Connect to 1/4″ NPT Male

O2 Male with 1/4 NPT Male
Air Male with 1/4 NPT Male
N2O Male with 1/4 NPT Male
Vacuum Male with 1/4 NPT Male
WAGD Male with 1/4 NPT Male

Male Quick- Connect to 1/8″ NPT Female

OO2 Male with 1/8 NPT Female
Air Male with 1/8 NPT Female
N2O Male with 1/8 NPT Female
Vacuum Male with 1/8 NPT Female
WAGD Male with 1/8 NPT Female

Male Quick- Connect to 1/8″ NPT Male

O2 Male with 1/8 NPT Male
Air Male with 1/8 NPT Male
N2O Male with 1/8 NPT Male
Vacuum Male with 1/8 NPT Male
WAGD Male with 1/8 NPT Male

Male Quick- Connect to DISS Female

O2 Male with DISS Female
Air Male with DISS Female
N2O Male with DISS Female
Vacuum Male with DISS Female
WAGD Male with DISS Female

Male Quick- Connect to DISS Female Hand Tight

O2 Male with DISS Female Hand Tight
Air Male with DISS Female Hand Tight
N2O Male with DISS Female Hand Tight
Vacuum Male with DISS Female Hand Tight
WAGD Male with DISS Female Hand Tight

Male Quick- Connect to DISS Male

O2 Male with DISS Male
Air Male with DISS Male
N2O Male with DISS Male
Vacuum Male with DISS Male

WAGD Male with DISS Male